

# CONVERSION CHART

## DIOPTERS TO RADIUS OF CURVATURE IN MILLIMETERS

D.	R.	D.	R.	D.	R.	D.	R.
37.00-9.12	41.00-8.23	45.00-7.50	49.00-6.88				
37.12-9.09	41.12-8.20	45.12-7.48	49.12-6.87				
37.25-9.06	41.25-8.18	45.25-7.45	49.25-6.85				
37.37-9.03	41.37-8.15	45.37-7.43	49.37-6.83				
37.50-9.00	41.50-8.13	45.50-7.41	49.50-6.81				
37.62-8.97	41.62-8.10	45.62-7.39	49.62-6.80				
37.75-8.94	41.75-8.08	45.75-7.37	49.75-6.78				
37.87-8.91	41.87-8.06	45.87-7.35	49.87-6.76				
38.00-8.88	42.00-8.03	46.00-7.33	50.00-6.75				
38.12-8.85	42.12-8.01	46.12-7.31	50.12-6.73				
38.25-8.82	42.25-7.98	46.25-7.29	50.25-6.71				
38.37-8.79	42.37-7.96	46.37-7.27	50.37-6.70				
38.50-8.76	42.50-7.94	46.50-7.25	50.50-6.68				
38.62-8.73	42.62-7.91	46.62-7.23	50.62-6.66				
38.75-8.70	42.75-7.89	46.75-7.21	50.75-6.65				
38.87-8.68	42.87-7.87	46.87-7.20	50.87-6.63				
39.00-8.65	43.00-7.84	47.00-7.18	51.00-6.61				
39.12-8.62	43.12-7.82	47.12-7.16	51.12-6.60				
39.25-8.59	43.25-7.80	47.25-7.14	51.25-6.58				
39.37-8.57	43.37-7.78	47.37-7.12	51.37-6.56				
39.50-8.54	43.50-7.75	47.50-7.10	51.50-6.55				
39.62-8.51	43.62-7.73	47.62-7.08	51.62-6.53				
39.75-8.49	43.75-7.71	47.75-7.06	51.75-6.52				
39.87-8.45	43.87-7.69	47.87-7.05	51.87-6.50				
40.00-8.43	44.00-7.67	48.00-7.03	52.00-6.49				
40.12-8.41	44.12-7.64	48.12-7.01	52.12-6.47				
40.25-8.38	44.25-7.62	48.25-6.99	52.25-6.46				
40.37-8.36	44.37-7.60	48.37-6.97	52.37-6.44				
40.50-8.33	44.50-7.58	48.50-6.95	52.50-6.42				
40.62-8.30	44.62-7.56	48.62-6.94	52.62-6.41				
40.75-8.28	44.75-7.54	48.75-6.92	52.75-6.39				
40.87-8.25	44.87-7.52	48.87-6.90	52.87-6.38				

### MINUS Left - Right

-	+	-	+
4.25=4.00	6.87=6.37		
4.50=4.25	7.00=6.50		
4.75=4.50	7.12=6.62		
5.00=4.75	7.37=6.75		
5.12=4.87	7.50=6.87		
5.37=5.00	7.62=7.00		
5.50=5.12	7.87=7.25		
5.62=5.25	8.00=7.37		
5.75=5.37	8.12=7.50		
5.87=5.50	8.25=7.62		
6.00=5.62	8.50=7.75		
6.12=5.75	8.75=8.00		
6.37=5.87	9.00=8.25		
6.50=6.00	9.25=8.37		
6.62=6.12	9.50=8.62		
6.75=6.25	9.75=8.75		

### PLUS Right - Left

-	+	-	+
10.00=9.00	14.25=12.25		
10.25=9.12	14.75=12.50		
10.50=9.25	15.00=12.75		
10.75=9.37	15.50=13.00		
11.00=9.62	15.75=13.25		
11.25=9.75	16.25=13.50		
11.50=10.00	16.75=13.75		
11.75=10.25	17.00=14.00		
12.00=10.37	17.25=14.25		
12.25=10.50	17.62=14.37		
12.50=10.75	18.00=14.50		
12.75=11.00	18.12=14.75		
13.00=11.25	18.50=15.00		
13.50=11.50	18.75=15.25		
13.75=11.75			
14.00=12.00			

Rev. 4/05

# GP EMPIRICAL FITTING CHART

BASE CURVE	OPTIC ZONE DIAMETER	DIAMETER
7.10	7.6	9.0
7.20	7.6	9.0
7.30	7.6	9.0
7.40	7.7	9.1
7.50	7.7	9.1
7.60	7.8	9.2
7.70	7.9	9.3
7.80	7.9	9.3
7.90	8.0	9.4
8.00	8.1	9.5
8.10	8.1	9.5
8.20	8.1	9.5
8.30	8.2	9.6
8.40	8.2	9.6
8.50	8.3	9.7
8.60	8.4	9.8

K's spherical to 1.00D corneal cylinder, fit on flat K.

K's 1.25D to 1.75D corneal cylinder, fit .25 steeper than flat K.

K's 1.75D to 2.00D corneal cylinder, fit .50 steeper than flat K.

K's 2.50D or more corneal cylinder, fit .75 or more steeper than flat K.

K's exceeding 2.50D corneal cylinder, consider toric design.

*Serving The Ophthalmic Professions Since 1931*

**ART**Optical  
contact lens, inc.

consultation direct  
phone  
fax  
online

**1.800.566.8001**  
**1.800.253.9364**  
**1.800.648.2272**  
**www.artoptical.com**