

KeraSoft® THIN Dynamic Assessment Form

www.artoptical.com | Ordering: 800.253.9364 | Consultation: 800.566.8001

Please ensure all shaded areas are completed and any additional information is entered into the Comments area.

For Movement/Rotation/Centration/Comfort/Visual Acuity, please circle the relevant text.

Patient Name/Ref:	_____
Account No:	_____
Date:	_____

Right Eye/Left Eye

Diagnostic Lens Parameters:				Order No:			
		Straight Ahead Gaze			Upward Gaze		
	Movement	<1.0mm	1.0mm-2.0mm	>2.0mm	<1.0mm	1.0mm-2.0mm	>2.0mm
	Rotation	Amount: ____°	Clockwise	Counter-clockwise	Amount: ____°	Clockwise	Counter-clockwise
		Stable	Limited Swing	Erratic Swing	Stable	Limited Swing	Erratic Swing
	Centration (FOZ Position)	Central	Decentered Inferior Superior		Central	Drops to Limbus	Drops below Limbus

Co	Comfort	Comfortable	Aware in 1 position	General Awareness	Other
VA	Visual Acuity	VA: _____	No Fluctuation After Blink	Clearer After Blink	Worse After Blink

Over-Refracton (with Vertex Distance):

Ordered Lens Parameters:

Comments:

Right Eye/Left Eye

Diagnostic Lens Parameters:				Order No:			
		Straight Ahead Gaze			Upward Gaze		
	Movement	<1.0mm	1.0mm-2.0mm	>2.0mm	<1.0mm	1.0mm-2.0mm	>2.0mm
	Rotation	Amount: ____°	Clockwise	Counter-clockwise	Amount: ____°	Clockwise	Counter-clockwise
		Stable	Limited Swing	Erratic Swing	Stable	Limited Swing	Erratic Swing
	Centration (FOZ Position)	Central	Decentered Inferior Superior		Central	Drops to Limbus	Drops below Limbus

Co	Comfort	Comfortable	Aware in 1 position	General Awareness	Other
VA	Visual Acuity	VA: _____	No Fluctuation After Blink	Clearer After Blink	Worse After Blink

Over-Refracton (with Vertex Distance):

Ordered Lens Parameters:

Comments: